

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)							
			B.D.COMMERICAL	B.D.COMMERICAL	HIMALAYAN INFO TECH	KB ENTERPRISE	TASHI DARGAY ENTERPRISE	ZAMLING INFOTECH	LAMLA SALES AND SERVICES	GYELYONG ENTERPRISE	THARLAM INFOTECH AND SOLUTION
1	"Desk top high End Processor Intel Core? i7 8700 6 Cores12MB12T3.2GHz up to 4.6GHz 65W Memory 16GB 2X8GB DDR4 2666MHz UDIMM Non ECC Hard Drive 2.5 1TB 7200rpm Hard Disk Drive Graphics Card AMD Radeon? RX 550 4GB FH DPormDP or mDP Optical Drive 8x DVDRW 9.5mm Optical Disk Drive Operating System Genuine Windows 10 Pro 64 bit English Network Card Integrated Gigabit Ethernet Card Keyboard USB Multimedia Keyboard Same brand of Desktop Mouse USB Optical Mouse Same brand of Desktop Monitor 24 LED Monitor Same brand of Desktop"	set	Dell 3000	78490	65900	72000	86350	69989	64340	73156	62800

2	"Desk Top Low End Processor Intel Core? i58600 6 Cores9M or 6T 3.0GHz up to 4.3GHz or 65W Memory 8GB 1X8GB DDR4 2666MHz UDIMM Non ECC Hard Drive 2.5 inch 1TB 7200rpm Hard Disk Drive Optical Drive 8x DVD RW 9.5mm Optical Disk Drive Operating System Genuine Windows 10 Pro 64 bit English Network Card Integrated Gigabit Ethernet Card Keyboard USB Multimedia Keyboard Same brand of Desktop Mouse USB Optical Mouse Same brand of Desktop Monitor 22inch LED Monitor Same brand of Desktop"	set	Dell 3000	43490	39300	49800	69500	48790	44400	48450	39500
---	---	-----	-----------	-------	-------	-------	-------	-------	-------	-------	-------

3	"Lap top low End Processor 8th Genetation Intel Core i58265U 6MB Cache up to 3.9 GHz Memory RAM 8GB DDR4 2666MHz Memory Graphics Intel UHD Graphics 620 with shared graphics memory Disk Drives HDD or FDD or CD or DVD 256GB Solid State Drive Networking 802.11ac 1x1 WiFi and Bluetooth Keyboard and Mouse Backlit keyboard English Ports Slots 1 HDMI 1.4a 1 USB 3.1 Gen 1 Type C 2 USB 3.1 1 USB 2.0 1 Headphone or Mic 1 RJ45 Display 14inch FHD 1920 x 1080 Anti glare LED Backlight Display Operating System Genuine Operating System Windows 10 Pro 64 bit English Accessories AC Adaptor Wireless mouse Carrycase"	set	Dell Inspiron 3000	44690	36800	45999	49990	42000	37340	38000	46500
---	---	-----	--------------------------	-------	-------	-------	-------	-------	-------	-------	-------

	Laptop Low End Processor 8th Generation Intel Core? i7 8550U 8MB Cache up to 4.0 GHz Memory RAM 16GB DDR4 2400MHz Memory Graphics NVIDIA GeForce MX150 with 2GB GDDR5 graphics memory Disk Drives HDDor FDD or CD or DVD Dual drives with 128GB SSD 1TB 5400 rpm Hard Drive Networking 802.11ac Bluetooth 4.2 Dual Band 2.4 and 5GHz 2x2 Multimedia Integrated audio with speaker, 1 combo headphone or microphone jack Keyboard and Mouse Backlit keyboard English Ports or Slots 1 HDMITM 1.4a 2 USB 3.0 1 USB 2.0 Display 14inch FHD 1920 x 1080 LED Backlit Display Operating System Genuine Operating System Windows 10 Pro 64 bit English Accessories AC Adaptor										
4	Wireless mouse Carrycase"	set	Dell Inspiron 3000	89490	52100	118000	75200	82699	46340	50000	65800
5	External Hard Drive 500GB HDD	each		4190	0	4600	3980	3900	4100	5420	3750
6	External Hard Drive 1 TB HDD	each		4690	0	4600	4350	4900	4400	6500	4550
7	Pen Drive 16 GB	each		349	0	540	410	700	595	0	385
8	Pen Drive 32 GB	each		649	0	940	785	1300	1430	0	750
9	Laptop RAM 4 GB	each		2890	0	4200	2480	3900	3900	3800	2250
10	Laptop RAM 8 GB	each		4890	0	6800	4850	5999	6700	6500	3650
11	Desk top RAM 4 GB	each		2890	0	4200	2300	3900	3900	4500	2250
12	Desktop RAM 8 GB	each		4890	0	6800	4980	5700	6700	7500	3650
13	Desktop Internal HDD 500 GB IDE/SATA	each		4390	0	4200	2850	3600	2400	5000	2250

14	Desktop Internal HDD 1 TB	each		4390	0	6800	3980	4400	4200	6100	3150
15	Laptop Internal HDD 500 GB SATA	each		4390	0	4200	3400	3800	2700	5100	3150
16	Laptop Internal 1 TB	each		4390	0	6800	3900	4700	3700	6200	4150
17	Pointer Wireless presentation laser pointer	each		4690	0	0	3800	5500	3900	5000	4350
18	"Sony VPLDX100 LCD Projector Dimension: 315 x 75 x 230.5 mm. of 2.5 kg weight. Display feature Brightness of 2300 Lumens in high 1800 Lumens in Standard and 1500 Lumens in low mode. Native Resolution: WXGA 1024x768. Effective Display area: 16 mm with optimal zoom of 1.2. Aspect Ratio of 4:3 with throw ration of 1.47 1 to 1.77 1. Contrast ration: 2500:1 with 12-bit 3D gamma correction. Audio Features: built in 1W 1 speaker with connectivity models including Mini D-sub 15 pin, Stereo mini jack HDMI. Display Type LCD Light Output: 2300 Lumens. Features Closed Captioning Soft Carrying Case. Contrast Ratio: 2500 1 Color White. Port connections USB or VGA or HDMI."	each	sony	39490	0	35999	45500	37000	28400	29900	29360

19	"EPSON EX5250 Pro Wireless XGA 3LCD Projector Epson Pro wireless portable for display of HD video. LCD projector system for accurate vivid color. 3600 Lumens color and white brightness for visibility in well lit rooms. 1024 x 768 XGA native resolution for vivid sharpness. E TORL lamp has life of up to 10,000 hours for reliable extended use. Digital 1.0 to 1.2 zoom lens has focal length of 18.4 to 22.08 mm. Projection distances ranges from 30 to 300 inches for versatile use. Ideal for rooms larger than 18 x 20 feet in business settings. 2-watt mono speaker provides clear reliable sound. Connects via USB Type B VGA HDMI S-video and composite video or audio as well as via wireless LAN for maximum versatility. Dimensions 11.7 x 9.2 x 3.2 inch"	set	Epson EBS41	34890	0	89000	69380	53228	31400	0	0
20	HP Laserjet Pro M1213nf Multifunction Printer Printing Type: Black and White. Scanner Type: ADF, Flatbed. Print Resolution: 600x600 DPI. Paper Size A4 Envelope Labels LGL LTR Network USB. Duty Cycle 8000 Pages per month. Color Black Warranty 1 year Printer Type Laser	set	HP 130FN	17490	19900	18299	35800	17400	16300	23500	23500

21	<p>HP LaserJet P2015 Series Printer Dimensions Width 350 mm16.8 inches Depth 361 mm14.2 inches Height 256mm10.0 inches Print speed 27 ppm letter 26ppm A4 First page out in as few as 8.5 seconds. Tray 2 capacity 250 sheets of regular weight 75 g/m220 lb paper Tray 1 capacity 50 sheets of regular weight 75 gm220 lb paper. Optional input tray tray 3 capacity 250 sheets of regular weight 75 gm220 lb paper. Top face down output bin capacity 125 sheets of regular weight 75 gm220 lb paper Maximum paper size 216 by 356mm8.5 by 14 inches Minimum paper size 76 by 127mm3 by 5 inches Print Resolution 1200 dpi 1200 effective dpi 600 dpi with base memory of 32 MB RAM PCL PCL 5e PCL 6. Upgrade memory expansion 1 slot available 144-pin DDR2 DIMM. USB Compatible with high speed USB 2.0 specifications. Network networking equipped models</p>	set	HP 203DN	16890	0	15800	33750	19800	17300	16000	0
----	--	-----	----------	-------	---	-------	-------	-------	-------	-------	---

22	<p>"HP LaserJet Pro M402dn C5F94A Duplex USB Monochrome Laser Printer Print speed black ISO letter Upto 40 ppm. First page out black letter ready As fast as 5.6 sec. Duty cycle monthly, letter Upto 80000 pages. Recommended monthly page volume 750 to 4000. Print technology Laser. Print quality HP FastRes 1200. Connectivity standard 1 Hi-Speed USB 2.0 1 Host USB 1 GB Ethernet 10by100by1000T network. Max. Memory: 128MB DRAM. Paper handling input, Optional: Optional third 550-sheet tray. Paper handling input, standard 150 sheet output bin. Duplex printing Automatic standard Media sizes supported Tray 1 Letter, Legal Executive Envelope 10 Envelope Monarch Custom size 4x6 in 5x8 in statement Tray 2 and Tray 3 Letter Legal Executive Custom Size 5 x 8 in."</p>	set	HP 402DN	18490	22300	17799	54300	22000	17400	19000	16850
----	--	-----	----------	-------	-------	-------	-------	-------	-------	-------	-------

23	HP LaserJet P1008 Printer Type: Monochrome Printer Max. Resolution of 600 dpi First Copy Out Time of 9 seconds 16 ppm of Black Print speed. Input Plain paper 150 Paper size A4 with manual feed option. Duty cycle of 5000 pages per month. Toner Type HP LaserJet CC388A with USB port 2.0. Dimensions Width 347mm Depth 224mm Height: 194mm Weigh 4.7lb.	set	HP 15A	10490	11000	9800	8700	10000	10430	10800	9850
24	"Sharp Digital Heavy Duty PhotoCopierAutomatic Document Feeder AR6020 Black and White Printer Print Copy Scan Pages per minute 20 BW Paper capacity: Std 350 Max 1850 sheets Colour Scanner Standard SPLC technology for faster data transfer and enhanced throughput Optional network printing Optional 100 sheet Reversing Single Pass Feeder for better job efficiency Energy Star certified"	set	Xerox 1022	68490	0	0	109500	240000	57400	105000	0

25	<p>SCANNER HP Scanjet Pro 3500 f1 document scanner Optical Resolution 1200 dpi x 1200 dpi, email scan to cloud document scanner. Scanner Spped 25ppm 300 dpi 50 ipm duplex 300 dpi front or back Scan Element Type CMOS or CIS. Document Size A4 Legal. 50 sheets feeder capacity with cancel duplex scan tools control panel button functions. Nominal voltage AC 120 by 230 V with 50 by 60 Hz frequency 4.51 W power consumption stand by and 1.4 W power consumption sleep with external power adapter. Supported OS MacOS X 10.9 by 10.10, Windows 7by8by8.1by10 with 2Hz processor speed. Min 1GB 2GB RAM and 170MB HDD space. Limited warranty of 1 year."</p>	set	HP 2500F1	23490	0	32299	29900	43990	29400	28000	28950
----	---	-----	-----------	-------	---	-------	-------	-------	-------	-------	-------

26	"DUPLICATING MACHINE Rongda RD 3608 Coving Machines Processing High Speed Automatic Digital Scanning Fully Automatic Thermal Screening Duplicator System Original Input Type Sheets and computer input Paper Size Max.A3 297mm×420mm Min. 100mm×148mm Print Area Max. 248mm×350mm Original Size: Max.B4 297mm×420mmMin. 100mm×148mm Original Size Max.B4 297mm×420mm Min. 100mm×148mm Original Thickness 40g/m2120gm2 Original Mode Letters or Images Scanning Resolution 300×400 dpi Time of First Paper Printed Approx. 40 Seconds B4"	set	Rongda	138490	0	0	119800	130999	104300	130000	105000
----	--	-----	--------	--------	---	---	--------	--------	--------	--------	--------

	"RISO A2 Printing Image Resolution 600 dpi x 600 dpi Print Paper Weight: 46 120 gsm Print Paper Size Minimum 420 mm x 297 mm Maximum 624 mm x 432 mm Printing Area 596 mm x 425 mm Paper Supply Capacity 1000 sheets 64gsm-80gsm Maximum Height 110 mm Paper Receiving Tray Load Capacity 1000 sheets 64gsm to 80gsm Maximum Height 110 mm Master making Time Within 60 seconds Print Speed 60 80 100 sheets per minute three steps variable Print Position Adjustment Vertical 15mm Horizontal 10mm1 User Interface LED panel with Progress Arrow indicators Functions Idling Print speed adjustment Print density adjustment Print position adjustment Confidential mode Programmed printing 1 type Custom setting mode RISO i Quality System Auto shut OFF Auto process Proof Clear job Double feed check Paper ejection adjustment Imposition	set	Riso KZ	134390	0	0	3445820	550000	354200	130000	0
27	USB Keyboard	each	frontech	389	0	1800	695	600	750	0	370
28	"Wireless Access Point 802.11ac dual band 2.4GHz5.0GHz upto 1.2GBs"	each	uplink	3890	0	0	0	900	3900	3800	3250
30	USB Mouse	each	Frontech	239	0	340	310	450	450	0	255
31	Wireless Mouse	each	Frontech	589	0	840	470	700	1200	1880	750
32	Printer USB Cable	each	Smart	189	0	340	130	700	350	0	125

33	VGA to HDMI/USB convertor	each	Smart	898	0	2400	1450	800	810	0	1150
34	HDMI to VGA convertor	each	Smart	789	0	3600	890	700	940	0	615
35	HDMI cable	each	Smart	349	0	0	2350	600	2950	0	250
36	CMOS Battery	each	Smart	45	0	0	70	100	145	0	45
37	SMPS Dell Optiplex 390 for Desktop	each	Dell	6490	0	0	6800	6500	2700	0	6500
38	SMPS Dell Optiplex 360 for Desktop	each	Dell	6490	0	0	6800	6500	3700	6800	6500
49	SMPS Dell Optiplex 3010 for Desk top	each	Dell	6490	0	0	6800	6500	3700	6800	6500
40	Network Toolkits set Cable Crimper tester IO box puncher	each	Ball	7890	0	0	4980	7500	7900	0	6850
41	RJ-45	Each	D-link	12	0	0	7.8	700	15	0	11
42	Air Blower to Clean server and Computers	Each	blowtech	2390	0	1799	1680	2500	3900	3000	1550
43	Cat6 Snagless Ethernet Patch Cable	Each	Smart	89	0	0	680	6500	0	6500	0
44	Cat6 Snagless Ethernet Patch Cable Cat6 Snagless Ethernet Patch Cable	Each	Smart	89	0	0	680	6500	0	0	0
45	Air Blower to Clean server and Computers Cat6 Snagless Ethernet Patch Cable Cat6 Snagless Ethernet Patch Cable USB3.0 Ethernet adaptor 10by100by1000Mbps	Each	0	0	0	0	5160	2900	0	6800	0
46	NIC card Network Ethernet Card 10by100by1000 GB	Each	Index	1890	0	0	2150	2900	0	0	7250
47	NIC card Network Ethernet Card 10by100by1000 GB Factory crimped UTP patch cord cat6 3 Mtr	Each	smart	189	0	0	2745	600	0	0	275
48	Factory crimped UTP patch cord cat6 5Mtr	Each	Smart	249	0	0	735	2000	0	0	350
49	Factory crimped UTP patch cord cat6 10Mtr	Each	Smart	439	0	0	1400	3500	0	0	850

50	Factory crimped UTP patch cord cat6 20Mtr	Each	Smart	849	0	0	1850	4500	0	0	0
51	Factory crimped UTP patch cord cat6 100 Mtr	each	Smart	5490	0	0	3450	5500	0	0	0
52	I/O Box with Complete face plate cat 6	each	D-link	389	0	0	395	900	450	0	325
53	12 port Gigabit Managed access switch	each	D-link	6490	0	0	30800	11000	0	0	13150
54	24 port Gigabit Managed access switch	each	D-link	7890	0	0	30800	29000	0	0	16250
55	"USB Console Cable USB to RJ45 Cable Essential Accesory of Cisco NETGEAR Ubiquity LINKSYS TPLink Routers or Switches for Laptops in Windows Mac Linux Blue"	each	00	0	0	0	0	2100	0	3500	0
56	"Wireless Access Point 802.11ac dual band 2.4GHz5.0GHz upto 1.2GBs"	each	tp-link	3890	0	0	0	1500	0	0	0
57	Enterprise Wi-Fi Access Point	set	tp-link	6890	0	0	0	1200	0	0	0
58	Media Converter 10by100by1000 BASETXTO 1000 BASEFX	pair	d-link	5890	0	0	7990	4500	0	0	6250
59	Single Mode Single Fiber WDM Media Converter 10 by 100 Mbps Fast Ethernet Note supplier should provide SC SC Female to Male Fiber Optic Attenuator 3dB to suit certain optical power level for 500 meters to 1 KM	pair	d-link	5890	0	0	4800	6000	2700	0	3250
60	Simplex UPC SC UPC SC fiber patch cord SM 2.0mm 1 meter	each	Syrotech	849	0	0	495	2500	340	0	340